

Safety 0 0 0 0 Sheet



Sutures in Isopropanol (30ml in Cassettes)

Product Code: J0091C Catgut and J0091 Braunamid Submission Date: 06/26/15

Veterinary Specialties 1450 N. Van Buren Loveland, CO. 80538 Jorgensen Laboratories, Inc.

24 Hour Emergency Telephone: INFOTRAC: (800)535-5053

All non-emergency questions may be directed to customer service @ (970)669-2500 or fax (970)663-5042

2.Hazards identification

Description of special hazards for human health and environment

Highly flammable.

Irritating to eyes.

Vapours may cause drowsiness and dizziness.

3. Composition/information on ingredients

Suture material in cassette-packs with 30 ml isopropanol

Hazardous components

CAS-No. Chemical name	00 10/17 5/10/00 07			
	Quality Classification	Chemical name	CAS-No.	EC-No.

Full text of each relevant R phrase can be found in heading 16.

First aid measures

General information

No hazards which require special first aid measures.

After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

In the event of symptoms refer for medical treatment

After contact with skin

Wash with water and soap as a precaution.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If eye irritation persists, consult a specialist.

After ingestion

Do not induce vomiting.

Induce vomiting only upon the advice of a physician.

Rinse mouth.

Consult a physician.

Revision date: 10.01.2014

Revision no. : 1

SUTURE MATERIAL IN CASSETTE-PACKS WITH 30 ml ISOPROPANOL

5 Fire-fighting measures

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray

Extinguishing media which must not be used for safety reasons

Full water jet

resulting gases Special exposure hazards arising from substance or preparation itself, combustion products,

Fire may produce:

Carbon monoxide and carbon dioxide

Special protective equipment for fire-fighters

In case of fire, wear suitable respiratory equipment with positive air supply.

Protective suit

Additional information

Cool containers at risk with water spray jet.

The vapour/air mixture is explosive, even in empty, uncleaned receptacles

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Accidental release measures

Personal precautions

In case of vapour formation use respirator.

Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up/taking up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

7.Handling and storage

Handling

Advice on safe handling

When using, do not eat, drink or smoke. Do not breathe vapours. Avoid contact with skin, eyes and

Advice on protection against fire and explosion

Keep product and empty container away from heat and sources of ignition

Storage

Requirements for storage rooms and vessels

Protect against direct sun radiation

@N07.00312000

Advice on storage compatibility

Incompatible with oxidizing agents

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

Storageclass (VCI)

3 A

GB - EN

Page 2 of 6

Revision no.: 1

SUTURE MATERIAL IN CASSETTE-PACKS WITH 30 ml ISOPROPANOL

8. Exposure controls/personal protection

Exposure limit values

Exposure limits (EH40)

Γ		Ţ	
		67-63-0	CAS-No.
THE COLUMN TO TH	Propan-2-ol	67-63-0 Propan-2-ol	Chemical name
	500	400	ml/m³
	1250	999	mg/m³
			F/ml
	STEL (15 min)	TWA (8 h)	Category
	WEL	WEL	Origin

Additional advice on control parameters

Ensure adequate ventilation, especially in confined areas.

Exposure controls

Protective and hygiene measures

When using, do not eat, drink or smoke

Do not inhale vapours.

Respiratory protection

Not required.

Hand protection

Rubber gloves

recommendations given by the manufacturer of protective gloves. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the

Eye protection

Not required.

Skin protection

Not required.

9. Physical and chemical properties

General information Physical state

Odour	Colour	Physical state
Alcoholic	Clear	Liquid

Important health, safety and environmental information

Test method

e physical stat	Changes in th	
ത	physical state	

Upper explosion limits	Lower explosion limits	Flammability	Flash point	Boiling point	Melting point
	2 vol. %		12 °C	82 °C	- 89 °C
*	_*		*	<u>*</u>	*

0,78 g/cm³ Miscible

43 hPa n.a.

_*

Water solubility: Density (at 20 °C): Vapour pressure : at (20 °C)

at (20 °C)

Ignition temperature

Revision date: 10.01.2014

SUTURE MATERIAL IN CASSETTE-PACKS WITH 30 ml ISOPROPANOL Revision no.: 1

10.Stability and reactivity

Conditions to avoid

Heating can release vapours which can be ignited To avoid thermal decomposition, do not overheat

Materials to avoid

Oxidizing agents.

Hazardous decomposition products

Carbon monoxide and carbon dioxide

Additional information

No decomposition if stored and applied as directed

11. Toxicological information

Empirical data on effects on humans

Irritating to eyes.

Vapours may cause drowsiness and dizziness.

the product. Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of

May cause irritation of the mucous membranes

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

12. Ecological information

Further information

Do not flush into surface water or sanitary sewer system

Ecological injuries are not known or expected under normal use.

Slightly water hazardous.

13.Disposal considerations

Advice on disposal

Can be landfilled or incinerated, when in compliance with local regulations

Where possible recycling is preferred to disposal.

Waste disposal number of waste from residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH

natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of (except kitchen and restaurant wastes not arising from immediate health care); wastes from

Classified as hazardous waste. or containing dangerous substances

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be

Packaging that cannot be cleaned should be disposed of like the product.

14 Transport information

^{*)} All data refer to the solution

SUTURE MATERIAL IN CASSETTE-PACKS WITH 30 ml ISOPROPANOL Revision no.: 1

Land transport (ADR/RID)

	ADR/RID packing group	Hazard label	UN number	Hazard-no.	Classification code :	ADR/RID class
144 247	=	ω	1219	33	F1	ω

Description of the goods

isopropanol

Other applicable information (land transport) LQ 4: combination packaging: 31/30 kg (total gross mass); trays: 11/20 kg (total gross mass).

Inland waterways transport

Marine transport

IMDG packing group Hazard label	Limited quantity:	EmS	Marine pollutant	UN number	IMDG code
ω =	1 L / 30 kg	F-E; S-D	No	1219	ω

Description of the goods

ISOPROPANOL

Other applicable information (marine transport)

Limited quantities (chapter 3.4): combination packaging: 11/30 kg (total gross mass); trays: 11/20 kg (total gross mass)

Air transport

Description of the goods	Limited quantity Passenger Y3	ICAO packing group	IATA-max. quantity - Cargo 60	IATA-packing instructions - Cargo 307	IATA-max. quantity - Passenger 5 L	IATA-packing instructions - Passenger 305	Hazard label 3	UN/ID number 12:	ICAO/IATA-DGR 3
	Y305/1L	=	60 L	307	5.	305	ω	1219	ω

15. Regulatory information

ISOPROPANOL

<u>Labelling</u>

Additional advice on labelling

According to EC-rules and correspondent national legislation, this product, being a ready medicine, is not subject to mandatory identification.

National regulatory information

1999/13/EC (VOC) Water contaminating class (D)

1 - slightly water contaminating

GB - EN

3 3 2 1 1 N Revision date: 10.01.2014

SUTURE MATERIAL IN CASSETTE-PACKS WITH 30 ml ISOPROPANOL Revision no.: 1

16.Other information

Full text of R-phrases referred to under sections 2 and 3

Highly flammable.

Irritating to eyes.

36 67 Vapours may cause drowsiness and dizziness

Further Information

case of accidents and irregularities. product (in this sense consult information on use and on product), but to liberation of major amounts in Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the

present level of our knowledge. The information describes exclusively the safety requirements for the product (s) and is based on the

The delivery specifications are contained in the corresponding product sheet.

warranty regulations. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal

"(n.a. = not applicable; n.d. = not determined)"

sub-contractor's safety data sheet.) (The data for the hazardous ingredients were taken respectively from the last version of the