Oster Spray Disinfectant

#### Section 1: PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Oster Spray Disinfectant

Product Number: A00224

Product Use: Disinfectant.

**Manufacturer/Supplier:** Oster Professional Products / Sunbeam Product Inc., D/B/A Jarden

Consumer Solutions 150 Cadillac Lane, McMinnville, TN 37110

Phone Number: Oster Customer Service (800) 339-2547 (CST) 8 AM- 5 PM

Safety Questions: (888)-865-6810 (CST) 7 AM-5:30 PM

HMIS: See Section 15

D.O.T. Emergency Phone: Chemtrec (800) 424-9300

Date of Preparation: November 20, 2007 Revision #: 1.0

## **Section 2: HAZARDS IDENTIFICATION**

## EMERGENCY OVERVIEW

LIVILINGEINGT GVERVIEW

DANGER

EXTREMELY FLAMMABLE. HARMFUL BY INHALATION. MAY CAUSE EYE IRRITATION. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED.

Potential Health Effects: See Section 11 for more information.

**Likely Routes of Exposure:** Skin contact, eye contact, inhalation, and ingestion.

Eye: May cause eye irritation.

Skin: May cause skin irritation.

**Ingestion:** Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

**Inhalation:** Harmful by inhalation. May cause respiratory tract irritation. May cause

asphyxiation. This product may be aspirated into the lungs and cause chemical

pneumonitis.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

**Signs and Symptoms:** Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Handling can cause dry skin. Vapours may cause drowsiness and dizziness.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Potential Environmental Effects:** May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS					
Ingredient	CAS#	Wt. %			
Ethanol	64-17-5	30 - 60			
Isobutane	75-28-5	10 - 30			
Propane	74-98-6	1 - 5			
Isopropanol	67-63-0	1 - 5			
o-Phenylphenol	90-43-7	0.1 - 1			

Oster Spray Disinfectant

#### **Section 4: FIRST AID MEASURES**

**Eye Contact:** In case of contact, immediately flush eyes with plenty of water. If easy to do,

remove contact lenses, if worn.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove

contaminated clothing and shoes. Wash clothing before reuse. Call a

physician if irritation develops and persists.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen.

**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or MSDS where possible).

Note to Physicians: Symptoms may not appear immediately.

#### **Section 5: FIRE FIGHTING MEASURES**

Flammability: Flammable by WHMIS/OSHA criteria.

**Means of Extinction:** 

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

**Explosion Data:** 

Sensitivity to Mechanical Impact: Not available. Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear

full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

#### Section 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

**Environmental Precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Clean-Up:** Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

Other Information: Not available.

Oster Spray Disinfectant

#### **Section 7: HANDLING AND STORAGE**

## Handling:

Keep away from sources of ignition. - No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using, do not eat or drink. Wash hands before eating, drinking, or smoking.

#### Storage:

Keep out of the reach of children. Keep container in a well-ventilated place. Do not store at temperatures above 49°C / 120°F.

#### Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Exposure Guidelines**

**Exposure Limits ACGIH-TLV** Ingredient **OSHA-PEL** Ethanol 1000 ppm 1000 ppm Isobutane Not available. Not available. **Propane** 1000 ppm 1000 ppm Isopropanol 400 ppm 200 ppm o-Phenylphenol Not available. Not available.

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment: HMIS: See Section 15

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory

equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and

safety practices.

#### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Clear

Color: Colorless.

Odour: Citrus.

Odour Threshold: Not available.

Physical State: Gas/Pressurized Liquid.

**pH**: 10-11

Viscosity:Not available.Freezing Point:Not available.Boiling Point:Not available.Flash Point:Not available.Evaporation Rate:Not available.

Oster Spray Disinfectant

Lower Flammability Limit:Not available.Upper Flammability Limit:Not available.Vapor Pressure:Not available.Vapor Density:Not available.

Specific Gravity: 0.895 (Concentrate Only)

Solubility in Water: Complete.

Coefficient of Water/Oil Distribution: Not available.

Auto-ignition Temperature: Not available.

Percent Volatile, wt. %: Not available.

VOC content, wt. %: 66.1% (US federal/CARB/OTC/LADCO)

#### **Section 10: STABILITY AND REACTIVITY**

**Stability:** Stable under normal storage conditions. Contents under pressure. Container may

explode if heated. Do not puncture. Do not burn. Keep in a cool place.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Oxidizers. Reducing agents. Ammonium salts.

**Hazardous Decomposition Products:** May include, and are not limited to: oxides of carbon.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of

normal use.

## **Section 11: TOXICOLOGY INFORMATION**

#### **EFFECTS OF ACUTE EXPOSURE**

#### **Component Anaylsis**

Ingredient LD<sub>50</sub> (oral) LC<sub>50</sub> Ethanol 7060 mg/kg, rat 20000 ppm 10hrs, rat Isobutane Not available. Not available. Not available. Propane Not available. Isopropanol 5045 mg/kg, rat 16970 ppm 4 hrs, rat o-Phenylphenol 2000 mg/kg, rat Not available.

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess

blinking and tear production, with marked redness and swelling of the

conjunctiva.

**Skin:** May cause skin irritation. Handling can cause dry skin.

**Ingestion:** Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

Inhalation: Harmful by inhalation. May cause respiratory tract irritation. May cause

asphyxiation. This product may be aspirated into the lungs and cause chemical

pneumonitis. Vapours may cause drowsiness and dizziness.

# **EFFECTS OF CHRONIC EXPOSURE**

Target Organs: Not available.

**Chronic Effects:** (Effects due to excessive exposure to the raw materials of this mixture)

Overexposure may cause kidney damage, liver abnormalities and brain damage.

Oster Spray Disinfectant

Carcinogenicity: Hazardous by WHMIS/OSHA criteria.

Ingredient Chemical Listed as Carcinogen or Potential Carcinogen \*

EthanolNot listed.IsobutaneNot listed.PropaneNot listed.IsopropanolG-A4o-PhenylphenolCP65

\* See Section 15 for more information.

Mutagenicity: Hazardous by WHMIS/OSHA criteria.

Reproductive Effects: Not hazardous by WHMIS/OSHA criteria.

**Developmental Effects:** 

**Teratogenicity:** Hazardous by WHMIS/OSHA criteria. **Embryotoxicity:** Hazardous by WHMIS/OSHA criteria.

Respiratory Sensitization: Not hazardous by WHMIS/OSHA criteria.

**Skin Sensitization:** Hazardous by WHMIS/OSHA criteria. **Toxicologically Synergistic Materials:** Not available.

#### **Section 12: ECOLOGICAL INFORMATION**

Ecotoxicity: May cause long-term adverse effects in the aquatic environment

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

**Mobility in Environment:** Not available.

#### **Section 13: DISPOSAL CONSIDERATIONS**

#### **Disposal Instructions:**

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

#### **Section 14: TRANSPORTATION INFORMATION**

**DOT Classification** 

ORM-D

**TDG Classification** 

**Limited Quantity** 

#### **Section 15: REGULATORY INFORMATION**

#### **Federal Regulations**

**Canadian:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

Oster Spray Disinfectant

# **SARA Title III**

Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Ethanol	Not listed.	Not listed.	Not listed.	Not listed.
Isobutane	Not listed.	Not listed.	Not listed.	Not listed.
Propane	Not listed.	Not listed.	Not listed.	Not listed.
Isopropanol	Not listed.	Not listed.	Not listed.	Yes.
o-Phenylphenol	Not listed.	Not listed.	Not listed.	Not listed.

## **State Regulations**

## **California Proposition 65:**

This product contains a chemical known to the state of California to cause cancer.

#### **Global Inventories**

Ingredient	Canada	USA
	DSL/NDSL	TSCA
Ethanol	DSL	Yes.
Isobutane	DSL	Yes.
Propane	DSL	Yes.
Isopropanol	DSL	Yes.
o-Phenylphenol	DSL	Yes.

## **HMIS - Hazardous Materials Identification System**

Health - 2 Flammability - 3 Physical Hazard - 0 PPE - B

#### NFPA - National Fire Protection Association:

**Health - 2** Fire - 3 Reactivity - 0

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

## WHMIS Classification(s):

Class A - Compressed Gas Class B5 - Flammable Aerosol

Class D2A - Carcinogenicity

Class D2A - Teratogenicity and Embryotoxicity

Class D2A - Mutagenicity

Class D2B - Eye Irritant

## **WHMIS Hazard Symbols:**



# SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

#### Oster Spray Disinfectant

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

#### **Section 16: OTHER INFORMATION**

#### Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Expiry Date: November 20, 2010

**Prepared by:** Nexreg Compliance Inc.

Prepared for: Oster Professional Products / Sunbeam Product Inc., D/B/A Jarden Consumer

Solutions

Oster Customer Service (800) 339-2547 (CST) 8 AM- 5 PM Safety Questions: (888)-865-6810 (CST) 7 AM-5:30 PM