

Revision date: 2015/04/29

Page: 1/15

Version: 3.0

(30572481/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

KNOCKOUT ES

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd.

St. Louis, MO 63122

Other means of identification

Substance number:

550555

EPA Register number: Synonyms:

499-404-2382

permethrin

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

1

Asp. Tox.

Aspiration hazard

Pyriproxyfen + pyrethrins + n-octyl bicycloheptene dicarboximide +

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date : 2015/04/29	Page: 2/15
Version: 3.0	(30572481/SDS_CPA_US/EN)

Aquatic Acute 1 Hazardous to the aquatic environment - acute
Aquatic Chronic 1 Hazardous to the aquatic environment - chronic
Flam. Aerosol 1 Flammable aerosols

Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H222 Extremely flammable aerosol.

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Precautionary Statements (Response):

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P391 Collect spillage.

P331 Do NOT induce vomiting.

Precautionary Statements (Storage):

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/

122°F.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 16 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 15 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 17 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 17 % Inhalation - mist

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

Revision date: 2015/04/29 Page: 3/15 Version: 3.0 (30572481/SDS_CPA_US/EN)

CAUTION:

EXTREMELY FLAMMABLE.

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HARMFUL IF SWALLOWED. HARMFUL IF INHALED.

HARMFUL IF ABSORBED THROUGH SKIN.

Do not breathe vapours/mists.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Aerosol container contains flammable gas under pressure.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
95737-68-1	0.1 %	Pyriproxyfen
8003-34-7	0.05 %	Pyrethrins
113-48-4	0.4 %	n-Octyl bicycloheptene dicarboximide
52645-53-1	0.4 %	Permethrin
64742-47-8	10.0 - 15.0 %	Distillates (petroleum), hydrotreated light
68476-86-8	10.0 - 15.0 %	Petroleum gases, liquefied, sweetened

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
95737-68-1	0.1 %	Pyriproxyfen
8003-34-7	0.05 %	Pyrethrins
113-48-4	0.4 %	n-Octyl bicycloheptene dicarboximide
52645-53-1	0.4 %	Permethrin
64742-47-8	< 10.0 %	Distillates (petroleum), hydrotreated light
68476-40-4	<= 30.0 %	Hydrocarbons, C3-4
	>= 80.0 %	Proprietary ingredients

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Revision date: 2015/04/29 Page: 4/15 Version: 3.0 (30572481/SDS_CPA_US/EN)

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known. Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide

foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

carbon monoxide, carbon dioxide, Hydrogen chloride, nitrogen oxides, halogenated hydrocarbons

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Revision date : 2015/04/29 Page: 5/15 Version: 3.0 (30572481/SDS_CPA_US/EN)

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Distillates (petroleum),

Revision date : 2015/04/29 Page: 6/15 Version: 3.0 (30572481/SDS_CPA_US/EN)

hydrotreated light

ACGIH TLV

TWA value 200 mg/m3 Non-aerosol (total

hydrocarbon vapor);

Application restricted to conditions in which there

are negligible aerosol exposures. Skin Designation Non-aerosol (total

hydrocarbon vapor);

The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:

aerosol

Odour:

characteristic

Odour threshold:

Not determined due to potential health

hazard by inhalation.

Colour:

white

Revision date: 2015/04/29 Page: 7/15 Version: 3.0 (30572481/SDS CPA US/EN)

pH value:

approx. 6 - 8

(23.7 °C) The product has not been tested. The statement has been derived from substances/products of a similar

structure or composition. Information applies to the solvent.

Melting point:

Flammability:

approx. -30 °C Extremely

flammable.

NFPA 30B flammability:

Flammability of Aerosol

Products:

Lower explosion limit:

Level 1 Aerosol 0 in

no flashback

As a result of our experience with this product and our knowledge of its

composition we do not expect any hazard

as long as the product is used

appropriately and in accordance with the

intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its

composition we do not expect any hazard

as long as the product is used

appropriately and in accordance with the

intended use.

Density:

approx. 0.96 g/cm3

(20°C)

Vapour density:

Thermal decomposition:

not applicable

carbon monoxide, carbon dioxide, Hydrocarbons, nitrogen

dioxide, nitrogen oxide, Hydrogen chloride, halogenated

hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To

avoid thermal decomposition, do not overheat.

Viscosity, dynamic:

Solubility in water:

not determined

dispersible

If necessary, information on other physical and chemical Other Information:

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Revision date : 2015/04/29

Page: 8/15

Version: 3.0

(30572481/SDS_CPA_US/EN)

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

No substances known that should be avoided.

strong oxidizing agents, strong acids, aldehydes, amines, chlorinated hydrocarbons

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, Hydrocarbons, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

<u>Inhalation</u>

Type of value: LC50

Species: rat

Value: > 5.12 mg/l

<u>Dermal</u>

Type of value: LD50 Species: rabbit Value: > 2,000 mg/kg

Irritation / corrosion

Assessment of irritating effects: Causes substantial but temporary eye injury. May cause slight irritation to the skin.

Skin

Revision date: 2015/04/29

Page: 9/15

Version: 3.0

(30572481/SDS CPA US/EN)

Species: rabbit

Result: moderately irritating

Prolonged contact with the product can result in skin irritation.

Eve

Species: rabbit

Result: Moderately to severely irritating.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Information on: Permethrin Stevens-Test / ZENECA Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Species: guinea pig Result: Non-sensitizing.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Permethrin

Assessment of repeated dose toxicity: The substance may cause damage to the peripheral nervous system after repeated ingestion of high doses. The substance may cause damage to the peripheral nervous system after repeated skin contact with high doses.

Information on: n-Octyl bicycloheptene dicarboximide

Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: pyrethrum

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date : 2015/04/29

Page: 10/15 (30572481/SDS_CPA_US/EN)

Version: 3.0

Not Likely to Be Carcinogenic to Humans.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: pyrethrum

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: n-Octyl bicycloheptene dicarboximide

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Distillates (petroleum), hydrotreated light

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-LC50 (96 h) > 0.270 mg/l, Lepomis macrochirus

Information on: pyrethrum

Revision date: 2015/04/29 Page: 11/15 Version: 3.0 (30572481/SDS_CPA_US/EN)

LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static) LC50 (96 h) 0.01 mg/l, Lepomis macrochirus

Information on: n-Octyl bicycloheptene dicarboximide

LC50 (96 h) 2.4 mg/l, Lepomis macrochirus (other, Flow through.) LC50 (96 h) 1.4 mg/l, Oncorhynchus mykiss (other, Flow through.)

Information on: permethrin

LC50 (96 h) 0.012 mg/l, Salmo salar

Information on: Distillates (petroleum), hydrotreated light

LL50 (96 h) 2 - 5 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic)

The product has low solubility in the test medium. A saturated solution has been tested. The product

has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal values (confirmed by concentration control analytics)

Aquatic invertebrates

Information on: pyrethrum

EC50 (48 h) 0.012 mg/l, Daphnia magna EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia

Information on: n-Octyl bicycloheptene dicarboximide EC50 (48 h) 2.3 mg/l, Daphnia magna (other, Flow through.)

Information on: Permethrin

LC50 (24 h) 0.024 mg/l, Daphnia magna

Information on: Distillates (petroleum), hydrotreated light

EL50 (48 h) 1.4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants

Information on: Distillates (petroleum), hydrotreated light

EL50 (72 h) 1 - 3 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No observed effect concentration (72 h) 1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to fish

Information on: permethrin

No observed effect concentration 0.0003 mg/l, Pimephales promelas

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-No observed effect concentration (95 d) 0.0043 mg/l, Oncorhynchus mykiss

Revision date: 2015/04/29

Version: 3.0

Page: 12/15

(30572481/SDS CPA US/EN)

Information on: pyrethrum

No observed effect concentration 0.0019 mg/l, Pimephales promelas

Chronic toxicity to aquatic invertebrates

Information on: permethrin

No observed effect concentration (30 d) 0.000011 mg/l, Mysidopsis bahia

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Information on: pyrethrum

No observed effect concentration (28 d) 0.00086 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Permethrin

Not readily biodegradable (by OECD criteria). Poorly biodegradable. Well eliminable from water by adsorption on activated sludge.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Not readily biodegradable (by OECD criteria).

Information on: pyrethrum

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Information on: pyrethrum

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyridine, 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]-

Revision date: 2015/04/29 Page: 13/15

(30572481/SDS CPA US/EN) Version: 3.0

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyrethrum

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1 UN 1950 ID number: Hazard label:

2.1 Proper shipping name:

AEROSOLS

Sea transport

IMDG

Hazard class: 2.1 **UN 1950** ID number: Hazard label: 2.1 Marine pollutant: NO

Proper shipping name: **AEROSOLS**

Air transport

IATA/ICAO

Hazard class: 2.1 ID number: **UN 1950** 2.1

Hazard label:

Proper shipping name: AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity, After 12/31/2020, ORM-D will not apply.

Revision date: 2015/04/29

Page: 14/15 (30572481/SDS_CPA_US/EN) Version: 3.0

15. Regulatory Information

Federal Regulations

Registration status:

Chemical

TSCA, US blocked / not listed

Crop Protection

TSCA, US released / exempt

EPCRA 311/312 (Hazard categories):

Acute; Chronic

light

CERCLA RQ

CAS Number

Chemical name

1 LBS

8003-34-7

Pyrethrins

State regulations

State RTK	CAS Number	Chemical name
MA, NJ, PA	8003-34-7	Pyrethrins
MA, NJ	52645-53-1	Permethrin
MA, NJ, PA	64742-47-8	Distillates (petroleum), hydrotreated

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

EXTREMELY FLAMMABLE.

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HARMFUL IF SWALLOWED.

HARMFUL IF INHALED.

HARMFUL IF ABSORBED THROUGH SKIN.

Do not breathe vapours/mists.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2015/04/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring

Revision date : 2015/04/29 Page: 15/15 Version: 3.0 (30572481/SDS_CPA_US/EN)

the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS, IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE, FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**