

MSDS: EQUI AID PSYLLIUM PELLETS

Page 1 of 4

MSDS List

Previous MSDS

Next MSDS

MSDS**MATERIAL SAFETY DATA SHEET****SECTION 1. PRODUCT AND COMPANY IDENTIFICATION
EQUI AID PSYLLIUM PELLETS**

PRODUCT CODE: EQ-PSYLLIUM PEL, REFERENCE #: 3002607

PRODUCT NAME: EQUI AID PSYLLIUM PELLETS CHEMICAL FAMILY: Natural carbohydrate material

SYNONYMS

Psyllium Seed Husk, Flea Seed, Plantago, active ingredient in Metamucil

**MANUFACTURER NAME AND
ADDRESS:**

Farnam Companies, Inc.

301 West Osborn Road

Phoenix, AZ. 85013

**TELEPHONE
NUMBERS:**24 hour emergency
number

(602)285-1660

Business hours

(602)285-1660

Marketing

(602)285-1660

DATES:Date Created:
08/14/2002

Revision: 08/14/2002

Printed: 01/12/2005

**SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS
EQUI AID PSYLLIUM PELLETS**

HAZARDOUS COMPONENTS (CHEMICAL NAME)	CAS #	OSHA PEL	ACGIH TLV	OTHER LIMITS	PERCENTAGE
I. FEED GRADE INGREDIENTS	NA				0.0 - 100.0 %

**SECTION 3. HAZARDS IDENTIFICATION
EQUI AID PSYLLIUM PELLETS****EMERGENCY OVERVIEW**

ROUTE(S) OF ENTRY: Inhalation? Yes, Skin? Yes, Eyes? Yes, Ingestion? Yes

POTENTIAL HEALTH EFFECTS (ACUTE AND CHRONIC)

CARCINOGENICITY: NTP? No, IARC Monographs? No, OSHA Regulated? No

CARCINOGENICITY/OTHER INFORMATION

SIGNS AND SYMPTOMS OF EXPOSURE

May cause mechanical eye irritation unless rinsed immediately with water. Single prolonged skin exposure (hours) causes no effect. Repeated prolonged exposures may or may not cause skin irritation. Prolonged or repeated exposure may result in respiratory sensitization in some individuals. Amounts which may be swallowed as a result of industrial handling are not likely to cause injury.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE**SECTION 4. FIRST AID MEASURES**

MSDS: EQUI AID PSYLLIUM PELLETS

Page 2 of 4

EQUI AID PSYLLIUM PELLETS**EMERGENCY AND FIRST AID PROCEDURES**

EYE CONTACT: Flush eye with water for 15 minutes. Get medical attention if irritation persists.

NOTE TO PHYSICIAN**SECTION 5. FIRE FIGHTING MEASURES
EQUI AID PSYLLIUM PELLETS**

FLASH PT: N.A. METHOD USED:

EXPLOSIVE LIMITS: LEL: UEL:

AUTOIGNITION PT: N.A. EXTINGUISHING MEDIA

Foam, carbon dioxide, and dry chemical

FIRE FIGHTING INSTRUCTIONS

Avoid dispersion of dust in air to reduce potential explosion hazard. Containers can build up pressure if exposed to heat (fire). Cool fire exposed containers with water.

FLAMMABLE PROPERTIES AND HAZARDS**HAZARDOUS COMBUSTION PRODUCTS****SECTION 6. ACCIDENTAL RELEASE MEASURES
EQUI AID PSYLLIUM PELLETS****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

Vacuum or sweep up material and place in disposal container. The very fine particles can cause a fire or explosion, eliminate all ignition sources. (Steam or air blowing are not to be used for clean up purposes.)

**SECTION 7. HANDLING AND STORAGE
EQUI AID PSYLLIUM PELLETS****HAZARD LABEL INFORMATION:**

Store upright in cool, dry place Use only in a well ventilated area.

Do not use/store near heat/open flame Provide adequate ventilation

PRECAUTIONS TO BE TAKEN IN HANDLING

Avoid breathing dust. Do not use near fire, sparks or flame. Store away from heat, sparks & flames. Store upright in cool, dry place.

PRECAUTIONS TO BE TAKEN IN STORING**OTHER PRECAUTIONS**

Exposure to concentrations of visible dust require the use of an air purifying respirator approved by NIOSH/MSHA for dusts. Respiratory protection is required for cleanup or maintenance operations where visible dust levels may be encountered.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
EQUI AID PSYLLIUM PELLETS****RESPIRATORY EQUIPMENT (SPECIFY TYPE)**

MSDS: EQUI AID PSYLLIUM PELLETS

Page 3 of 4

EYE PROTECTION

Safety glasses

PROTECTIVE GLOVES

Not needed

OTHER PROTECTIVE CLOTHING

Protective clothing not needed for normal operation.

ENGINEERING CONTROLS (VENTILATION ETC.)

Good general ventilation should be sufficient to control airborne levels.

WORK/HYGIENIC/MAINTENANCE PRACTICES

Wash hands before eating, smoking, or using restroom.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES
EQUI AID PSYLLIUM PELLETS**

PHYSICAL STATES:

 Gas, Liquid, Solid

BOILING POINT:

N.A.

MELTING POINT:

N.A.

SPECIFIC GRAVITY (WATER = 1):

VAPOR PRESSURE (VS. AIR OR MM HG):

VAPOR DENSITY (VS. AIR = 1):

EVAPORATION RATE (VS BUTYL ACETATE=1):

SOLUBILITY IN WATER:

PERCENT VOLATILE:

N.A.

PH:

APPEARANCE AND ODOR

Brown powder with musty odor

**SECTION 10. STABILITY AND REACTIVITY
EQUI AID PSYLLIUM PELLETS**STABILITY: Unstable Stable

CONDITIONS TO AVOID - INSTABILITY

None known

INCOMPATIBILITY - MATERIALS TO AVOID

None known

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

HAZARDOUS POLYMERIZATION: Will occur Will not occur

CONDITIONS TO AVOID - HAZARDOUS POLYMERIZATION

Product will not undergo polymerization.

**SECTION 11. TOXICOLOGICAL INFORMATION
EQUI AID PSYLLIUM PELLETS**

MSDS: EQUI AID PSYLLIUM PELLETS

Page 4 of 4

**SECTION 12. ECOLOGICAL INFORMATION
EQUI AID PSYLLIUM PELLETS**

**SECTION 13. DISPOSAL CONSIDERATIONS
EQUI AID PSYLLIUM PELLETS**

WASTE DISPOSAL METHOD

Dispose of according to local, State, and Federal regulations.

**SECTION 14. TRANSPORT INFORMATION
EQUI AID PSYLLIUM PELLETS**

DOT PROPER SHIPPING NAME

ADDITIONAL TRANSPORT INFORMATION

**SECTION 15. REGULATORY INFORMATION
EQUI AID PSYLLIUM PELLETS**

**SECTION 16. OTHER INFORMATION
EQUI AID PSYLLIUM PELLETS**

OTHER HAZARD RATINGS:		
Health:	3	Minimal: 0 Slight: 1
Flammability:	3	Moderate: 2 Serious: 3
Reactivity:	0	Extreme: 4
Special Hazard:	NA	

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification.